

VIVA GOLD CORP.
MANAGEMENT DISCUSSION & ANALYSIS
April 30, 2026

INTRODUCTION

This Management Discussion and Analysis ("MD&A") is intended to supplement Viva Gold Corp.'s ("Viva" or the "Company") interim condensed consolidated financial statements for the six months ended April 30, 2026. All financial information, unless otherwise indicated, have been prepared in accordance with International Financial Reporting Standards as issued by the International Accounting Standards Board ("IFRS").

The following discussion of the Company's financial condition and results of operations should be read in conjunction with its interim condensed consolidated financial statements and the related notes for the six months ended April 30, 2026.

All monetary amounts are in Canadian dollars unless otherwise specified. All monetary amounts related to the Company's Preliminary Economic Assessment ("PEA") are in USD. The effective date of this MD&A is June 25, 2026.

Viva's current business is the acquisition, exploration, and development of precious metal properties with the goal of producing shareholder value through the de-risking its core projects by completing feasibility study and permitting for either mine development or sale of the project to a third party. The Company is advancing its 100% owned Tonopah Gold Project ("Tonopah"), located in the Walker Lane Trend in Western Nevada.

James Hesketh, MMSA QP, is a Qualified Person as defined by NI 43-101 and is the Qualified Person responsible for review of technical information in this Management Discussion. Mr. Hesketh is President and CEO of Viva and is an insider of the Company with overall project responsibility.

Additional information regarding the Company is available on SEDAR at www.sedarplus.ca.

FORWARD-LOOKING INFORMATION

This MD&A contains certain statements that may be deemed "forward-looking statements" within the meaning of Canadian securities legislation and the United States Private Securities Litigation Reform Act of 1995. This information and these statements, referred to herein as "forward-looking statements" are made as of the date of this MD&A or as of the date of the effective date of information described in this MD&A, as applicable. Forward looking statements in this document are statements that are not historical facts and are generally, but not always, identified by the words "expects", "plans", "anticipates", "believes", "continue", "intends", "estimates", "projects", "potential" and similar expressions, or that events or conditions "will", "would", "may", "could", or "should" occur. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable by management, are inherently subject to significant business, economic, and competitive uncertainties, and contingencies. There can be no assurance that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. The Company disclaims any obligation or intention to update or revise any forward-looking statement, whether as a result of new information, future events, or otherwise.

CURRENT CORPORATE HIGHLIGHTS

On June 3, 2026, the Company announced drill results from its 2026 drill program at Tonopah project. Drill holes TG2609 and TG2610 were drilled to test the width extension of the north and south limits of the down-

dropped block of deeper mineralization situated in the western section of the main 2025 PEA resource pit area. The drill holes returned high-grade gold over significant widths.

On May 13, 2026, the Company announced drill results for four additional drill holes of its 2026 drill program: TG2605 to TG2608. These new mineral intercepts are within the 2025 PEA resource shell in areas previously categorized as either waste or inferred mineralization. The results have the potential to add shallow high-grade mineralization that can be mined early in the mine life and are likely to convert inferred mineralization to measured and indicated status while also adding new zones of inferred mineralization.

On April 23, 2026, the Company announced initial results from four drill holes in its 2026 drill program. Results define the potential for two new zones of higher-grade mineralization starting near surface. In addition, the Company announced that it has commenced pre-feasibility work on its Tonopah project, which is expected to be completed in the fourth quarter of 2026.

On February 25, 2026, the Company announced that it has commenced a drill program at its Tonopah project. The 2,500 meter drill program has a focus on converting inferred mineralization to measured and indicated and to infill remaining drilling gaps and identified resource extension potential in the near pit area. In addition, additional holes will be drilled in the Midway Hills prospect area.

On February 18, 2026, the Company announced it has commenced a comprehensive Technical Study for its Tonopah. The study is designed to further refine mine design, processing options, capital and operating costs, and permitting pathways, while continuing to reduce technical and execution risk.

On February 11, 2026, the Company announced that it had staked an additional 38 unpatented mineral claims totalling approximately 291 hectares to cover a land area identified as being highly prospective for gold mineral potential. In addition, the Company announced the commencement of a 14,000 meters of CSAMT geophysical survey, a controlled source electromagnetic method used to map subsurface resistivity associated at Tonopah with potential silica emplacement during gold deposition. Viva has also received approval from the U.S. Bureau of Land Management for 23 new drill sites in and around the PEA design pit area of the Tonopah and at the Midway Hills prospect area located approximately 1.4 kilometers northwest of the main pit area.

On January 14, 2026, the Company announced that it has commenced work to advance its Tonopah into feasibility work, while also adding a drill program for the primary goal to infill remaining areas of inferred mineralization into measured and indicated material and to follow up on identified high-grade extensions to the resource pit. In addition, the Company is planning on drilling prospect areas of the project in the Midway Hills prospect area, which is about 1.4 kilometers from the main pit.

On December 29, 2025, the Company has completed its non-brokered private placement of 26,145,456 Unit financing at a price of \$0.16 per unit for gross proceeds of \$4,183,273. Each unit consists of one common share and one-half of one non-transferable common share purchase warrant, with each whole warrant exercisable at \$0.24 per share until December 29, 2028. The Company paid aggregate finder's fees of \$84,154 and issued 525,962 finder's warrants in connection with this financing. Each non-transferable finder's warrant is exercisable to acquire one Share in the capital of the Company at an exercise price of \$0.24 per common

share until December 29, 2028. Proceeds are intended to be used primarily for project-related studies at the Tonopah, geologic work and for general working capital purposes.

TONOPAH GOLD PROJECT

Viva's 100% owned Tonopah gold project sits in the middle of gold mining country about a half hour drive south of the Round Mountain mine owned by Kinross Gold on a major land position on the prolific Walker Lane Trend in Western Nevada. Viva has developed a gold Mineral Resource and can demonstrate the potential for an economically viable open pit, heap leach/mill gold project through rigorous PEA study.

The Tonopah property spans approximately 4,419 hectares (10,920 acres) and is situated about 30 kilometres (km) northeast of the town of Tonopah, Nevada. Viva has 546 unpatented lode claims (including 184 royalty claims) that are 100% controlled by Viva and filed with both the Bureau of Land Management (BLM) and Nye County. The Project is subject to a royalty agreement following various historical transactions, bankruptcy proceedings, and modifications. The current arrangement grants the royalty holders a 2% Net Smelter Return Royalty ("NSR") on 184 claims upon commercial production, where Viva has the right at any time to acquire 1% of the 2% royalty for US\$1.0 million.

Tonopah is a near surface, well oxidized, epithermal gold/silver deposit with gold mineralization occurring in veins and breccias, all within a blanket of low-grade disseminated gold mineralization. Gold mineralization is controlled by both structure and favorable lithology. Drill results demonstrate the potential for additional exploration potential, while the core mineral resource has been drilled to a high confidence level with approximately 87% of total contained gold ounces in the measured and indicated resource categories.

In 2023, the Company retained WSP to update and audit the geologic model for the Tonopah including adding all available drilling data to the existing Leapfrog GEOTM Project geological model. The drill hole data for approximately 581 drillholes in the immediate project area were subject to validation checks to evaluate common drill hole data errors including, but not limited to, data gaps and omission, overlapping lithology or sample intervals, miscorrelated units, unit conversion checks, and other indicators of data corruption including transcription and keying errors.

Lithologic codes used in drillhole logging at Tonopah have varied over the years under different project ownerships and geologic teams doing the logging work. Work by WSP and Viva's geologic team has simplified and conformed these codes for use in 3D electronic geologic modelling. In addition, historic geophysical study data completed by Kennecott Minerals and Newmont Gold Corp, particularly from gravity and CSAMT (Controlled Source Audio Frequency Magnetotellurics) surveys, have been added to the geologic model. This information, when combined with drillhole data and resource block modelling, is providing an additional tool for the location of geologic structure and targeting of exploration drillholes for the project.


Baseline environmental and technical studies for Tonopah are well advanced. Wildlife and plant studies were completed and submitted to the BLM for review and have been accepted. Baseline water sampling and analysis have been consistently performed at the project over the last seven years. Four quarters of baseline study also been completed on water samples from natural seeps and springs within a 10-mile radius of the project. In December 2022, a seven-day aquifer pump test was completed to test hydraulic flow rates in the valley floor alluvial formation over the deposit. Geochemical studies of potential ore and waste materials are now substantially complete with no deleterious results determined.

2026 Reverse Circulation Drill Program

This drill program was designed to expand and infill gold mineralization, with the goal of upgrading inferred

gold resource to a level that supports conversion to mineral reserves in pre-feasibility study. Nineteen holes totaling 3,210 meters have been drilled, including three exploration holes targeting the Midway Hills prospect at Tonopah. Assay results have been received for ten holes (TG2601–TG2610). Assays for the remaining nine holes are pending. Drill results demonstrate the potential to further expand mineral resources in and around the 2025 PEA resource pit area.

Tonopah Gold Project										
Preliminary 2026 Reverse Circulation Drilling Program Results										
Hole	Azimuth	Dip	From	To	Length	Depth To Mineral	Gold Grade	Silver Grade	Rock Type	Comment
			Meter	Meter	Meter	Meter	Gram/Tonne	Gram/Tonne		
TG2610	0	-90			262.1					
			123.4	182.9	59.4	123.4	1.08	1.97	Tvt	North side of Western pit extension in inferred resource block. Mill feed grade. Likely grade increase and upgrade to Indicated mtl.
			<i>123.4</i>	<i>129.5</i>	<i>6.1</i>	<i>123.4</i>	<i>4.32</i>	<i>7.80</i>	Tvt	
			<i>158.5</i>	<i>163.1</i>	<i>4.6</i>	<i>158.5</i>	<i>2.26</i>	<i>1.90</i>	Tvt	
			<i>173.7</i>	<i>181.4</i>	<i>7.6</i>	<i>173.7</i>	<i>1.17</i>	<i>1.56</i>	Tvt	
			189.0	217.9	29.0	189.0	0.76	3.88	Tvt/Opa	
			<i>196.6</i>	<i>198.1</i>	<i>1.5</i>	<i>196.6</i>	<i>8.67</i>	<i>10.50</i>	Opa	
TG2609	0	-90			266.7					
			131.1	138.7	7.6	131.1	0.58	1.44	Tvt	South Side of Western Pit
			201.2	208.8	7.6	201.2	0.31	2.24	Opa	
Released 13 May, 2026										
TG2606	0	-90			176.8					
			21.3	24.4	3.0	21.3	1.40	0.90	Tvt	Infill hole located 35 meters north of TG2422 confirms shallow pit potential. Inferred conversion and grade increase to mill grade
			74.7	106.7	32.0	74.7	3.14	8.11	Opa	
			<i>76.2</i>	<i>85.3</i>	<i>9.1</i>	<i>76.2</i>	<i>9.27</i>	<i>16.48</i>	Opa	
			<i>76.2</i>	<i>77.7</i>	<i>1.5</i>	<i>76.2</i>	<i>26.3</i>	<i>45.5</i>	Opa	
			121.9	125.0	3.0	121.9	0.53	1.60	Opa	
			134.1	141.7	7.6	134.1	1.31	1.58	Opa	
			157.0	163.1	6.1	157.0	0.79	1.75	Opa	
TG2605	0	-90			170.7					
			62.5	74.7	12.2	62.5	0.38	1.86	Tvt	Infill of inferred on north boundary of 2025 PEA pit Upgrades inferred
			115.8	123.4	7.6	115.8	0.34	1.04	Tvt	
TG2608	0	-90			137.2					
			25.9	35.1	9.1	25.9	0.72	2.88	Opa	Drilled on edge of inferred zone South east PEA pit Adds new mineralization Heap Leach grades
			<i>29.0</i>	<i>32.0</i>	<i>3.0</i>	<i>29.0</i>	<i>1.39</i>	<i>3.45</i>	Opa	
			47.2	67.1	19.8	47.2	0.39	1.06	Opa	
			85.3	88.4	3.0	85.3	0.91	1.17	Opa	
			103.6	137.2	33.5	103.6	0.44	1.09	Opa	
TG2607	225	-70			121.9					
			56.4	64.0	7.6	53.0	0.45	9.16	Opa	Drilled 52 meters SE of TG2601 extending new zone Adds new mineralization
			94.5	99.1	4.6	88.8	0.33	3.10	Opa	
			111.3	115.8	4.6	104.5	0.28	2.63	Opa	
Released April 23, 2026										
TG2601	225	-70			152.4					
			64.0	86.9	22.9	60	1.29	9.07	Opa	73M SE step-out from TG2422 Mill circuit grade
			<i>64.0</i>	<i>68.6</i>	<i>4.6</i>	<i>60.0</i>	<i>4.73</i>	<i>21.60</i>	Opa	
TG2603	250	-70			131.1					
			94.5	109.7	15.2	88.3	1.16	1.59	Opa/Tvt	50M NW step-out from MW81 Mill circuit grade
			<i>96.0</i>	<i>99.1</i>	<i>3.0</i>	<i>90.2</i>	<i>2.56</i>	<i>4.90</i>	Contact	
Tvt = Upper Tertiary Volcanic			Cutoff Grade: 0.2 Au g/t							
Tvt = Lower Tertiary Volcanic			True thickness/widths are unknown							
Opa = Ordovician Palmetto Argillite										
NSS = No significant sample										



Viva Gold utilizes a well-documented system of inserting blanks and standards into the assay stream and has a strict chain of custody for samples taken by the Company. Assays taken by the Company are completed at independent laboratories which have internal quality assurance and quality control systems and procedures. Assays were performed by American Assay Laboratories Inc. of Reno, Nevada, by fire assay and ICP methods with gravimetric finish.

Pre-Feasibility Study

The Company has commenced a comprehensive Technical Study that is expected to meet a Pre-Feasibility (PFS) level standard, with certain components of the study anticipated to meet Feasibility-level standards.

Advancing Tonopah into this next phase represents an important step in the systematic progression of the Project by building on prior economic and technical work. The study is designed to further refine mine design, processing options, capital and operating costs, and permitting pathways to further reduce technical and execution risk.

Kappes Cassiday & Associates (KCA) of Reno, Nevada has been appointed as lead author of the PFS and responsible for metallurgy, flow sheet, plants, dry stack, heap leach, infrastructure, and capital and operating cost estimation for those functions. Independent Mining Consultants (IMC) of Tucson, Arizona will be

responsible for resources, reserves, mine design, and mine capital and operating cost estimation. Additional specialized consultants with extensive regional experience will contribute to geotechnical analysis, groundwater modelling, permitting, environmental, soil studies, and leach pad stacking and waste rock storage design.

Contractors and consultants for this project have been selected based on their experience and familiarity in Nevada and the Southwest US with both large- and small-scale open pit gold mine and heap leach/mill projects. This regional expertise includes familiarity with local infrastructure, logistics, vendor and supplier networks, environmental and permitting requirements, local design issues, and capital and operating cost structures.

Relative to Viva's June 2025 Preliminary Economic Assessment, the current Technical Study is expected to incorporate refinements, including:

- Updated resource model to include new geologic or drilling information;
- A mine plan emphasizing accelerated access to near-surface, higher-grade mill feed while stockpiling early low-grade heap leach material;
- Staged capital investment focusing on early high return mill operations while deferring low-grade leach production to later in the mine life;
- Coarser crush size for heap leach production to reduce both capital and operating cost.
- Trade-off study on contract versus owner mining, but with a focus on ore control for segregation of high- and low-grade gold mineralization for selective heap leach and mill processing;
- Optimize pit slope angles utilizing updated geologic, structural and hydrologic information;
- Provide layout and volumetric information required to write a Plan of Operations needed to commence project permitting.

Collectively, these refinements are intended to further improve project definition, enhance capital efficiency, and support the orderly advancement of Tonopah toward permitting and development.

NI43-101 Technical Report and Resource Estimate

The NI43-101 Technical Report for the Tonopah Gold Project dated August 20, 2025, presented an updated Mineral Resource estimate and Preliminary Economic Assessment (PEA) for the Tonopah Gold Project located near Tonopah, Nevada, USA (previous Technical Report effective date: January 1, 2022). Viva owns a 100% interest in the Project.

The Mineral Resource estimate and Technical Report were prepared by WSP, in conjunction with KCA for the metallurgy, recovery, and infrastructure components and Lewis Environmental Consulting LLC (LEC) for the environmental components of the study, and reviewed by WSP. The Mineral Resource estimate is disclosed in accordance with the Canadian Securities Administrator's National Instrument (NI) 43-101, and this Technical Report follows the requirements of Form 43-101F.

Project Description

The PEA study was developed using conventional open pit hard rock mining methods at a nominal rate of approximately 45,000 tonnes per day ("TPD") of material mined over a seven-year period. Pit slope angles are based on geotechnical study completed for Viva in 2020. Mined gold mineralization is transported by truck to

either a high-grade (> 1.0 g/t) or low-grade stockpile. Barren waste rock would go to a waste rock storage facility.

Process design was developed based on preliminary indicative metallurgical testwork. The process considers crushing 10,000 TPD of mineralized run-of-mine material including 8,000 TPD of low-grade and 2,000 TPD of high-grade material. Mineralized material will be crushed to 100% passing 12.5 mm using a three-stage closed crushing circuit. High-grade and low-grade material will be campaigned through the crushing circuit and stockpiled separately using a radial stacking conveyor. Low-grade material will be agglomerated with cement, before being conveyor-stacked in 10m lifts onto a permanent geomembrane-lined heap leach pad and leached with a dilute cyanide solution. Pregnant leach solutions will be pumped to a carbon adsorption circuit. Gold will be collected onto activated carbon and then periodically transported off-site to be toll-processed where the loaded carbon will be stripped and regenerated before being returned to the Project for re-use.

High-grade mill feed ground to 80% passing 150 Mesh (106 micron) in a single stage ball mill circuit. Ball mill discharge will be diverted to a Carbon-in-Leach (“CIL”) circuit where the thickened slurry will be mixed with activated carbon with a portion of the flow being diverted to a gravity concentrator for the recovery of coarse metal. Loaded carbon from the CIL will be toll-processed along with carbon from the heap leach circuit. Leached slurry will be discharged and filtered using a filter press, and dry-stacked using trucks onto a dedicated portion of the heap leach pad.

The Tonopah open pit will extend below the existing water table. As a result, a pit de-watering system is required to de-water ahead of mining advance. A conceptual dewatering system design for the Project was developed by Piteau Associates of Reno, Nevada, Viva’s long term hydrologic consultant, dated June 20, 2025.

Existing project infrastructure includes paved State highway access, nearby 15 KV grid powerline upgradable to 25 KV, newly constructed cell and data communications tower, and nearby public utility water supply. The project has a total of 26 existing groundwater monitoring wells. Additional infrastructure will include fencing and gates, weigh scale, office buildings, repair shops, assay laboratory, fencing and gates, water supply system, power substation and overhead distribution lines.

Mineral Resource

The 2025 MRE incorporates data from 59 new drill holes completed since 2022, as well as a new structural model based on drilling and Controlled Source Audio-frequency Magnetotellurics (CSAMT) data. The updated resource model has resulted in an increase in the indicated resource, demonstrating enhanced confidence in the geologic interpretation.

Summary of Estimated Mineral Resources – Effective Date: June 13, 2025

Classification	Au (g/t)	Ag (g/t)	Tonnes (Kt)	Contained Gold (oz)	Contained Silver (oz)
Measured	1.41	3.11	1,690	77,000	169,000
Indicated	0.53	1.98	25,000	427,000	1,593,000
Measured + Indicated	0.59	2.05	26,690	504,000	1,762,000
Inferred	0.37	1.81	6,905	83,000	402,000
Total	0.54	2.00	33,560	587,000	2,164,000

Notes:

1. The MRE for the potentially surface mineable resource were constrained by conceptual pit shells for the purpose of establishing reasonable prospects of eventual economic extraction based on potential mining, metallurgical and processing grade parameters identified by studies performed to date on the Project.

2. Key constraint inputs included reasonable assumptions for operating costs, geotechnical slope parameters, forecast Au prices, and a minimum Cut-off Grade of 0.15 g/t Au.
3. The Cut-off Grade assumes a gold price of US\$2,200 and a revenue factor of 1.2 (equivalent to US\$2,640 gold price), and includes all material that can be economically processed
4. Heap leach recovery of 75% was assumed.
5. Tonnage and contained metal estimates are rounded to the nearest 1,000.
6. kt = kilotonnes; g/t = grams per tonne.
7. Mineral Resource categorization of Measured, Indicated and Inferred Mineral Resources presented in the summary table is in accordance with the CIM definition standards (CIMDS, 2014).
8. No mining recovery, dilution or other similar mining parameters have been applied.
9. Although the Mineral Resources presented in this press release are believed to have a reasonable expectation of being extracted economically, they are not Mineral Reserves. Estimation of Mineral Reserves requires the application of modifying factors and a minimum of a PFS.
10. The reported Inferred Mineral Resources are considered too speculative geologically to have the economic considerations applied to them that would enable them to be categorized as Mineral Reserves.
11. There is no certainty that all or any part of this Mineral Resource will be converted into Mineral Reserve.
12. Mineral Resource estimates are not precise calculations, being dependent on the interpretation of limited information on the location, shape and continuity of the occurrence and on the available sampling results. All figures are rounded to reflect the relative accuracy of the estimates.

The Mineral Resource categorization applied by the Qualified Person (“QP”) has included the consideration of data reliability, spatial distribution and abundance of data and continuity of geology and grade parameters. The QP performed a statistical and geostatistical analysis for evaluating the confidence of continuity of the geological units and grade parameters. The results of this analysis were applied to developing the Mineral Resource categorization criteria.

Cut-off Grade Sensitivity

Au Cut-off	Measured Category					Indicated Category					Inferred Category				
	Tonnes (kt)	Grade		Contained Metal		Tonnes (kt)	Grade		Contained Metal		Tonnes (kt)	Grade		Contained Metal	
		Au (g/t)	Ag (g/t)	Au (oz)	Ag (oz)		Au (g/t)	Ag (g/t)	Au (oz)	Ag (oz)		Au (g/t)	Ag (g/t)	Au (oz)	Ag (oz)
0.10	1,920	1.26	2.89	78,000	179,000	32,215	0.44	1.81	455,000	1,871,000	10,050	0.30	1.59	95,000	515,000
0.15	1,690	1.41	3.11	77,000	169,000	25,000	0.53	1.98	427,000	1,593,000	6,905	0.37	1.81	83,000	402,000
0.20	1,500	1.57	3.32	76,000	160,000	20,245	0.62	2.13	400,000	1,383,000	5,090	0.45	1.96	73,000	320,000
0.25	1,360	1.71	3.51	75,000	153,000	16,875	0.69	2.25	376,000	1,222,000	4,055	0.50	2.07	65,000	269,000
0.30	1,245	1.84	3.66	74,000	147,000	14,220	0.77	2.37	353,000	1,081,000	3,245	0.56	2.16	58,000	225,000

Notes:

1. Numbers shown are to demonstrate sensitivity of the MRE to changes in COG only; COG below 0.15 g/t do not meet the requirements of RPEEE
2. The official Mineral Resource COG of 0.15 g/t is highlighted.
3. kt = kilotonnes; g/t = grams per tonne.

The updated MRE reports 504,000 ounces of measured and indicated gold resources at 0.59 g/t Au, constrained within a pit shell above a 0.15 g/t Au cut-off (see Table 1). Compared to the 2022 PEA, this is an increase of 109,000 ounces of measured and indicated Mineral Resources, and a reduction of 123,000 ounces of inferred Mineral Resources. Additional drilling reduced drill hole spacing and revealed new high-grade zones as well as non-mineralized areas. The introduction of a structural interpretation served to constrain the estimate to additional hard-boundary domains. For the first time, 2,164,000 ounces of silver at 2.0 g/t are reported.

Au and Ag were estimated into a 3D block model using ordinary kriging interpolation. The block size in the area of the reported resources is 6 m x 6 m x 6 m. Estimation was constrained by hard boundary domains based on rock type and fault boundaries.

Primary differences between the 2022 resource block model and the 2025 resource block model include a reduction in block size from 20 m to 6 m, a change in the Au top-cut grade parameters (increased from 10 g/t to 100 g/t and using a high-grade search restriction), and a change to the resource classification methodology.

At present, only Mineral Resources have been estimated and there are no Mineral Reserves for the Project.

The Mineral Resource estimates for the potentially surface mineable resources at Tonopah were constrained by conceptual resource pit shells for the purpose of establishing reasonable prospects of eventual economic extraction based on potential mining, metallurgical recovery and processing parameters identified by mining, metallurgical, and processing studies performed to date on the Project.

Key constraint inputs included reasonable assumptions for operating costs, geotechnical slope parameters, Au forecast prices, as summarized in Table 2, resulting in a minimum Cut-off Grade ("COG") of 0.15 g/t Au. The COG assumes a gold price of US\$2,200 and a revenue factor ("RF") of 1.2 (equivalent to US\$2,640 gold price) and includes all material that can be economically processed.

Table 2: Break-Even Cut-off Grade for Mineral Resources

Parameter	Unit	Value
Processing Costs (incl. Sustaining Capex) + G&A	\$/t	7.12
Processing Recovery	%	75.0%
Refining Recovery/Payable	%	99.9%
Royalty	% NSR	1.0%
Refining Cost/Selling Cost	\$/oz Au	2
Resource Gold Price at RF	\$/oz Au	2,640
Cut-off grade	g/t Au	0.15

GEOVIA Whittle™ ("Whittle") Pit Optimizer software was used to develop the resource pit shell. Whittle was used with the input parameters presented in Table 3 to provide guidance for establishing reasonable prospects of eventual economic extraction.

Table 3: Resource Pit Shell Input Parameters

Mining Parameter	Unit	Value
Waste Mining Cost ¹	\$/t	1.90
Mineral Mining Cost ¹	\$/t	1.90
Overburden Mining Cost ¹	\$/t	1.60
Mining Sustaining Capital Cost ²	\$/t	0.24
Mining Recovery ³	%	100
Mining Dilution ³	%	0
Processing Parameter	Unit	Value
Mill Recovery	%	92.5
Heap Leach Recovery	%	75
Mill COG	g/t	1.0
Heap Leach COG	-	breakeven
Mill Processing Cost + G&A	\$/t	17.50
Mill Processing Sustaining Capital Cost ⁴	\$/t	0.11
Heap Leach Processing Cost + G&A	\$/t	8.70
Heap Leach Processing Sustaining Capital Cost ⁵	\$/t	0.62
Selling Parameter	Unit	Value
Gold Price	\$/oz	2,640
Gold Royalty	%	1.0
Selling Cost	\$/oz	2.00
Gold Payable	%	99.9

Notes:

1. The mineral and waste mining cost were based on escalated mining cost from similar projects in Nevada and nearby states escalated to Q2 2025 US\$ value. The overburden mining cost is the cost of free digging the overburden, without drilling and blasting.
2. Mining sustaining capital cost of 0.24 \$/t was calculated based on the escalated April 2020 PEA cost estimate to Q2 2025 US\$ value and was included in the pit optimization to the mining cost.
3. The block model described included dilution or mining recovery. Viva recommended to use 100% mining recovery and 0% dilution, and it is the QP's opinion that this logic is reasonable for a PEA-level study.
4. Mill processing sustaining capital cost of 0.11 \$/t was obtained from the April 2020 PEA cost estimate and escalated to Q2 2025 US\$ value.
5. Heap leach processing sustaining capital cost of 0.62 \$/t was obtained from industry benchmarking, and both were included in the pit optimization to the processing cost for all scenarios.

PEA Mine Plan and Production Details

Tonopah will have a seven-year mine life with eight years of gold recovery. Closure and reclamation activities are expected to commence at the cessation of mining and last for a period of three years utilizing exiting mine equipment and personnel. Please note that a Preliminary Economic Assessment is preliminary in nature and includes inferred mineral resources that are considered too speculative geologically to have the economic consideration applied to them that would enable them to be categorized as mineral reserves, and that there is no certainty that the preliminary economic assessment will be realized.

Annual Detail of Tonopah PEA Production Schedule

Year	2028	2029	2030	2031	2032	2033	2034	2035	Total
Mill Tonnes (1,000)	730	730	730	730	612	307	679		4,518
Heap Leach Tonnes (1,000)	2,914	2,856	2,920	2,920	2,920	1,853	2,664		19,046
Waste Tonnes (1,000)	18,350	18,650	12,000	12,000	11,350	13,500	5,714		91,564
Total Tonnes Mined (1,000)	21,994	22,236	15,650	15,650	14,882	15,659	9,058		115,129
Strip Ratio	5.0	5.2	3.3	3.3	3.2	6.3	1.7		3.9
Mill Grade - Au	2.56	2.18	1.41	1.60	1.39	1.22	1.48		1.75
Heap Leach Grade - Au	0.37	0.40	0.36	0.35	0.38	0.36	0.37		0.37
Mill Grade - Ag	5.39	3.30	2.29	3.08	2.73	2.39	3.62		3.35
Heap Leach Grade - Ag	1.68	1.98	1.67	1.43	1.63	1.61	1.79		1.69
Contained Gold Oz	95,088	87,647	67,256	70,276	62,664	33,488	64,501		480,919
Contained Silver Oz	284,118	259,447	210,455	206,310	206,516	119,395	232,260		1,518,501
Mill Recovered Gold Oz	55,320	47,532	30,412	34,466	25,311	11,151	29,973		234,165
Mill Recovered Silver Oz	46,997	28,574	20,050	27,031	19,865	8,715	29,281		180,513
Heap Leach Rec Gold Oz	22,845	27,174	25,856	24,613	26,256	17,433	23,026	3,128	170,331
Heap Leach Rec Silver Oz	23,074	29,601	30,239	23,517	24,695	17,342	28,732	3,979	181,178
Total Gold Oz	78,164	74,706	56,268	59,079	51,567	28,584	52,999	3,128	404,496
Total Silver Oz	70,071	58,175	50,289	50,548	44,560	26,057	58,012	3,979	361,691
Payable Gold Oz	78,086	74,631	56,211	59,020	51,515	28,555	52,946	3,125	404,091
Payable Silver Oz	68,670	57,012	49,283	49,537	43,669	25,536	56,852	3,899	354,457

PEA Study Economic Analysis

The PEA economic analysis is based on the estimated production schedule, capital costs, and operating costs, and cash flow model prepared by WSP. All information used in this economic evaluation was derived from work completed by WSP and KCA, with support from Viva. Project economics were evaluated using a discounted cash flow method that measures the before-tax and after-tax NPV of future cash flow streams. The PEA economic model was based on the following key assumptions:

- A gold price of \$2,400 per ounce.
- Mine production schedule developed by WSP with a nominal average mining rate of 45,000 TPD with higher levels in the first two years and a mill and heap leach process rate totaling 10,000 TPD of mineralized material.
- A period of analysis of eleven years that includes one year of investment, 8 years of production, and three years to complete reclamation and closure commencing after cessation of mining activities.
- Capital costs and operating costs as summarized and described in the following sections.

Project economics are based on criteria from the cash flow model that are summarized below.

Economic Analysis Summary


Financial parameters	Results
Internal Rate of Return (IRR), Pre-Tax	20.6%
Internal Rate of Return (IRR), After-Tax	17.6%
Average Annual Cash Flow in Production (Pre-Tax)	\$56.8 million
NPV 5% (Pre-Tax)	\$138.6 million
Average Annual Cash Flow in Production (After-Tax)	\$52.8 million
NPV 5% (After-Tax)	\$111.6 Million
Gold Price Assumption	\$2,400/Ounce Au
All-In sustaining Cost	\$1,164
Cash Cost of Production	\$1,269

Economic Sensitivity Analysis

At a current market price level of approximately \$3,200 per ounce Au, a 33.3% increase over the base price of \$2,400, Tonopah returns a post-tax NPV 5% of \$363.6 million and an IRR of 43.4%, demonstrating strong leverage to gold price.

Project sensitivity to Au/Ag price, operating and capital costs are shown in the following Figure:

Project Sensitivity to Changes in Price, Capital and Operating Cost



Project Sensitivity to Gold Price

Sensitivity to Gold Price	Gold Price	NPV 5% (xUSD 1,000)
80%	1,920	(38,425)
90%	2,160	36,738
100%	2,400	111,617
110%	2,640	186,451
120%	2,880	261,286
130%	3,120	336,120
140%	3,360	410,955

Operating Costs

Unit Operating Cost Breakdown

AREA	UNITS	COST
Mine	\$/tonne Material	1.95
CIL Mill	\$/tonne Milled	16.43
Heap Leach	\$/tonne Leach	6.62
Water Systems	Annual Variable	\$670K to \$1.2K
Gen & Admin	Annual	\$4.4 million

Mine operating costs are based on self-mining, non-contractor rates. Mine operating costs and equipment productivity rates were estimated from first principals by WSP using equipment productivity handbooks, reference guides and databased information. The mine is anticipated to operate 365 days per year utilizing two twelve-hour shift per day, with a total of four operating crews working on a four-day rotational schedule.

Processing Design Criteria Summary

Item	Design Criteria
Annual Tonnage Processed	3,650,000 tonnes
Production Rate	
Crushing Rate	10,000 tonnes/day, 365 days/year
CIL Milling Rate	2,000 tonnes/day, 365 days/year
Leach Pad Stacking Rate	8,000 tonnes/day, 365 days/year
Recovery	
High-grade Mill Au Recovery, Average	93%
Low-grade Heap Leach Au Recovery, Average	75%
Operation	12 hours/shift, 2 shifts/day, 7days/week, 365 days/year
Leach Cycle	120 days
Reagents	
High-grade Mill NaCN Consumption, kg/t	0.58
Low-grade Heap Leach NaCN Consumption, kg/t	0.26
High-grade Mill CaO Addition, kg/t	0.60
Low-grade Heap Leach Cement Addition, kg/t	4.0

Plant and general and administrative (“G&A”) operating costs were estimated by KCA using first principals based on the second quarter 2025 US dollars and are presented with no added contingency based upon the design and operating criteria present in this release and are considered to have an accuracy of +/-35%. Sales tax was not included in the operating cost estimate. G&A costs include annual premiums for reclamation surety bonds. Water system costs were estimated by Piteau Associates of Reno Nevada and are estimated to have an accuracy of +50%/-25%.

Capital Costs

Capital Cost Estimate

Description	Costs (\$,000)
Pre-production Capital	
Process and Infrastructure Capital including Spare Parts	\$120,640
Mining Capital including Shops, and Equipment lease down payment	\$21,435
Dewatering Systems	\$9,898
NSR Royalty Option Exercise	\$1,000
Indirect, First Fills, & Owners Costs	\$16,271
Engineering, Procurement & Construction Management (“EPCM”)	\$17,228
Contingency	\$33,436
Total Pre-Production Capital	\$219,909
Initial Working Capital Requirement	\$22,160
Sustaining Capital	
Leach Pad Expansion	\$9,597
Mine Equipment Lease Payments	\$55,257
Dewatering systems	\$5,580
Total Sustaining Capital	\$70,434
Reclamation & Closure Allowance	\$12,000
Initial Reclamation Bond Restricted Cash Collateral	\$4,740

Process and infrastructure capital can be divided into two components: preproduction capital for crushing, leaching systems, and infrastructure with a total preproduction capital cost of approximately \$119.5 million including all contingencies and EPCM; and mill circuit costs of \$52.5 million all inclusive

All process and infrastructure equipment and material requirements are based on the design information as determined by KCA. Capital cost estimates were developed based on budgetary project specific quotes or recent quotes from similar projects in KCA’s files for all major and most minor equipment. Where recent quotes were not available, reasonable cost estimates or allowances were made based on cost guide data. All capital cost estimates were based on the purchase of equipment quoted new from the manufacturer or to be fabricated new. Capital cost estimates were based on the second quarter of 2025 US dollars and are considered to have an accuracy of +/-35%.

Mine equipment cost is based primarily on a Financing Proposal received from Caterpillar Financial Services Corporation data June 18, 2025. The fleet consists of eleven-100 tonne CAT 777 haul trucks with three CAT 992 loaders, three CAT MD6250 drills and associated auxiliary equipment. Terms include a 20% down payment

and the equipment is leased over a three-year period in equal payments of principal and interest. Equipment is purchased with a \$1.00 purchase option at the end of the lease. Mine infrastructure, indirect and contingency costs were based on similar projects in WSP's files and reasonable cost estimates or allowances were made based on cost guide data.

Dewatering capital was estimated to account for the drilling of interceptor wells in surface gravel's and basement rock, and the construction of HDPE pipeline to convey water directly to valley floor re-infiltration basins where clean water is discharged directly back into valley floor gravels. Royalty cost reflects the cost required to exercise the option to acquire 1% of the Tonopah 2% net smelter return royalty.

Project Closure and Environmental Closure Bonding

Federal and State agencies require a reclamation bond to ensure completion of reclamation and closure of Tonopah, estimated at \$23.7 MM, if performed by the State. Actual closure costs if performed using existing mining equipment and personnel are estimated at \$12.0 million. Viva anticipates using a Surety policy to cover bond costs which would include providing 20% cash collateral into an interest-bearing restricted cash account and paying an annual surety premium estimated to be \$380,000, which is included in G&A costs.

Mine Permitting

Permits required for the proposed surface mining operation will include, but not be limited to, Bureau of Land Management Mine Plan of Operation/National Environmental Policy Act analysis, Environmental Impact Statement, Amended Nevada Mining Reclamation Permit, Nevada Water Pollution Control Permits, Air Quality Operating Permit, Liquified Propane Gas license, Nevada water rights, and Nevada Industrial Artificial Pond permit.

Recommended Forward Studies

WSP makes the following recommendations:

- A diamond drill core program to capture additional data such as specific gravity measurements, core recovery, rock quality designation ("RQD"), and the location and angles of major faults to further refine tonnage estimates for the project and existing structural interpretations.
- Developing an alteration model could improve understanding of its impact on gold mineralization and potentially identify new drill targets.
- A more detailed trade-off study between leasing production equipment vs. purchasing should be undertaken (perhaps even a hybrid of the two options) to assess if up-front capital can be reduced and evaluate the effects on operating costs.
- More detailed phasing of the open pit at a PFS level should be undertaken given the nature of the grade and strip ratio of the deposit to help focus on bringing more high-grade material up front to help offset the initial capital cost payback.

KCA has made recommendations for additional metallurgical studies including:

- High-grade mill and gravity variability testing
- Variability column testing at various crush sizes (9.5mm, 12.5 mm, 25 mm and 38mm) for a 120 to 180-day period.
- Perform additional characterization work.

Samples for KCA's metallurgical program may be captured in the diamond core program recommended by WSP. The cost of a 1,000 meters PQ drill program including assay, televue/oriented core study is

approximately \$500,000 not including additional cost for specific gravity testing. Quotations for metallurgical testwork and updated geotechnical study are in process.

Environmental study recommended by Lewis Consulting LLC, Viva's long term environmental consultant, includes:

- Ongoing baseline study work for environmental monitoring, cultural resources surveys, biological studies, and hydrogeologic studies.
- Construction of one upgradient and two downgradient groundwater monitoring wells.
- Thirty-day aquifer tests from the existing site bedrock and alluvial production/monitoring wells, should be conducted to support the numerical groundwater model required for Federal and State permitting.
- A program to test the capacity of alluvial soils to allow infiltration of excess mine dewatering water.
- A Class III cultural resources survey should be completed for those areas within the projected Project boundary that have not been surveyed in more than ten years.
- Two years of Golden Eagle and Raptor aerial surveys should be completed to develop plans and permits if necessary to ensure compliance with the Bald and Golden Eagle Protection Act.

It is anticipated that these recommended environmental study activities will cost approximately \$900,000.

Qualified Person

Brian Thomas, P.Geo. of WSP, is the qualified person, as defined by NI 43-101, responsible for the preparation of the MRE. Jason Baker, P.Eng. of WSP, is the qualified person, as defined by NI 43-101, responsible for the mining method. Rick McBride, P.Eng. of WSP, is the qualified person, as defined by NI 43-101, responsible for integration of the costs into the cashflow model. Caleb Cook, PE is qualified person for metallurgy and processing. James Hesketh, MMSA-QP, has approved the scientific and technical disclosure contained in this quarterly report. Mr. Hesketh is not independent of the Company; he is an Officer and Director.

RESULTS OF OPERATIONS

For the six months ended April 30, 2026, as compared to the six months ended April 30, 2025

For the six months ended April 30, 2026, the Company incurred a loss of \$2,095,854 (2025 - \$1,416,036), representing an increase of \$679,818 over the comparative period. The increase was primarily attributable to higher exploration expenditures associated with the commencement of drilling activities and technical studies at the Tonopah. Exploration costs totaled \$1,630,178 during the current period, compared to \$982,029 in the six months ended April 30, 2025, and primarily related to drilling programs, consulting services, technical reports, and metallurgical testwork.

Professional fees increased to \$78,945 from \$66,310 in the comparative period, while transfer agent and filing fees increased to \$35,723 from \$24,492, primarily due to the Company's capital raising activities. Other operating expenses remained relatively consistent with the prior period.

Loss per share was \$0.01 for both the current and comparative periods.

For the three months ended April 30, 2026, as compared to the three months ended April 30, 2025

For the three months ended April 30, 2026, the Company incurred a net loss of \$1,574,456 (2025 - \$342,234), representing an increase of \$1,232,222 over the comparative period. The increase was primarily attributable

to higher exploration expenditures related to drilling programs, consulting services, technical reports, and metallurgical testwork at the Tonopah. Exploration costs increased by \$1,209,613 compared to the three months ended April 30, 2025, due to commencement of drilling activities and technical studies at the Tonopah.

Professional fees increased to \$47,991 (2025 - \$38,838) and transfer agent and filing fees increased to \$25,851 (2025 - \$16,090), primarily due to the Company's capital raising activities. Other operating expenses remained relatively consistent with the comparative period.

Loss per share was \$0.01 (2025 - \$0.00).

The following is a summary of exploration expenditures incurred by the Company on the Tonopah:

	For the three months ended April 30, 2026	For the three months ended April 30, 2025	For the six months ended April 30, 2026	For the six months ended April 30, 2025
	\$	\$	\$	\$
Bond premium	4,336	-	4,336	-
Claim fees and permits	1,269	1,466	26,951	12,292
Consulting	305,666	-	322,939	70,203
Drilling	527,478	4,148	671,062	507,970
Environmental	28,131	13,717	41,980	34,258
Field work and monitoring	9,268	409	9,268	12,648
Metallurgical testwork	159,692	4,846	187,957	4,846
Salaries	24,688	21,320	46,885	42,632
Samples	53,154	9,105	53,154	151,509
Supplies and other	21,792	4,228	22,254	9,517
Technical reports	190,361	78,649	219,273	111,998
Travel	24,119	2,453	24,119	24,156
	1,349,954	140,341	1,630,178	982,029

SUMMARY OF QUARTERLY RESULTS

The following table sets out selected unaudited quarterly financial information of the Company and is derived from interim condensed consolidated financial statements prepared by management.

Period	Revenues	Loss for the period	Basic and fully diluted loss per share
		\$	\$
2nd Quarter 2026	Nil	(1,574,456)	(0.01)
1st Quarter 2026	Nil	(521,398)	(0.00)
4th Quarter 2025	Nil	(504,803)	(0.00)
3rd Quarter 2025	Nil	(687,788)	(0.00)
2nd Quarter 2025	Nil	(342,234)	(0.00)
1st Quarter 2025	Nil	(1,073,802)	(0.01)
4th Quarter 2024	Nil	(703,854)	(0.01)
3rd Quarter 2024	Nil	(550,623)	(0.00)

The Company's quarterly losses are expected to vary because of timing of its exploration activity on Tonopah.

LIQUIDITY AND CAPITAL RESOURCES

The Company's principal source of liquidity as at April 30, 2026, was cash totaling \$3,146,354 (October 31, 2025 - \$757,767).

During the six months ended April 30, 2026, the Company's cash used in operating activities amounted to \$1,719,672 (2025 - \$1,516,741).

On December 29, 2025, the Company completed a non-brokered private placement of 26,145,456 units at a price of \$0.16 per unit for gross proceeds of \$4,183,273. Each unit consisted of one common share and one-half of one non-transferable common share purchase warrant, with each whole warrant exercisable at \$0.24 per share until December 29, 2028. In connection with this private placement, the Company incurred \$123,334 in finders' fees and share issuance costs, and issued 525,962 finders' warrants with a fair value of \$57,957, which are exercisable to acquire one common share at an exercise price of \$0.24 per common share until December 29, 2028.

During the six months ended April 30, 2026, the Company received \$65,677 from the exercise of stock options and finders' warrants, resulting in the issuance of 430,011 common shares.

With the exception of interest earned on cash holdings, the Company does not generate any income and relies upon current cash resources and future financings to fund its ongoing business and exploration activities. The Company will explore appropriate financing routes which may include additional issuance of share capital; funding through project debt; convertible securities; or other financial instruments. The interim condensed consolidated financial statements of the Company and this MD&A have been prepared on the assumption that the Company will continue as a going concern, meaning it will continue in operation for the foreseeable future and will be able to realize assets and discharge liabilities in the ordinary course of business. Viva is an exploration stage company and as at April 30, 2026, had an accumulated deficit of \$24,917,538. During the six months ended April 30, 2026, the Company had no revenues and incurred a net loss of \$2,095,854. Management of the Company does not expect that its current cash position will be sufficient to meet all of its operating requirements, financial commitments, and business development priorities during the next twelve months. Accordingly, the Company will need to obtain financing in the form of debt, equity, or a combination to continue to operate. There can be no assurance that additional funding will be available to the Company, or, if available, that this funding will be on acceptable terms. These conditions indicate the

existence of material uncertainty that may give rise to significant doubt about Viva's ability to continue as a going concern.

OFF-BALANCE SHEET ARRANGEMENTS

The Company has not entered into any material off-balance sheet arrangements such as guarantee contracts, contingent interests in assets transferred to unconsolidated entities, derivative instrument obligations, or with respect to any obligations under a variable interest entity arrangement.

RELATED PARTY TRANSACTIONS

- a) During the three and six months ended April 30, 2026, the Company incurred \$24,688 and \$46,885 (2025 - \$21,320 and \$42,632) respectively of management fees and \$24,688 and \$46,885 (2025 - \$21,320 and \$42,632) respectively of salary expense (which is recorded in exploration costs) to a company controlled by the Chief Executive Officer ("CEO") of the Company. As at April 30, 2026, the Company owed \$668 (October 31, 2025 - \$1,119) to a company controlled by the CEO of the Company, which is included in accounts payable and accrued liabilities.
- b) During the three and six months ended April 30, 2026, the Company incurred \$18,900 and \$37,800 (2025 - \$18,900 and \$37,800), respectively, of professional fees to a company founded by the Chief Financial Officer ("CFO") of the Company. As at April 30, 2026, the Company owed \$6,615 (October 31, 2025 - \$6,615) to a company founded by the CFO of the Company, which is included in accounts payable and accrued liabilities.
- c) During the three and six months ended April 30, 2026, share based payments related to the incentive stock options granted to directors and key management personnel of the Company amounted to \$33,787 and \$67,160 (2025 - \$29,367 and \$65,917) respectively.

CAPITAL MANAGEMENT

The Company manages its common shares, stock options, and warrants as capital. The Company's objectives when managing capital are to safeguard the Company's ability to continue as a going concern to maintain a flexible capital structure which optimizes the costs of capital at an acceptable risk.

The Company manages its capital structure and makes adjustments in light of operating results, changes in economic conditions, and the risk characteristics of the underlying assets. To maintain or adjust the capital structure, the Company may attempt to issue new shares, warrants or options, issue new debt, acquire or dispose of assets or adjust the amount of cash. In order to maximize ongoing development efforts, the Company does not pay out dividends. The Company's investment policy is to invest its short-term excess cash in highly liquid short-term interest-bearing investments with maturities 90 days or less from the original date of acquisition, selected with regards to the expected timing of expenditures from continuing operations.

FINANCIAL INSTRUMENTS

The Company's financial instruments as at April 30, 2026, consist of cash, restricted cash, and its accounts payable and accrued liabilities. The fair value of these instruments approximates their carrying value. There were no off-balance sheet financial instruments.

Cash consist solely of cash deposits with major banks in the United States and Canada.

The Company does not use derivative or hedging instruments to reduce its exposure to fluctuations in foreign currency exchange rates involving the US dollar.

OUTSTANDING SHARES

As at the date of this MD&A, the Company had 172,107,102 common shares outstanding. The Company also has 8,650,000 incentive stock options outstanding, exercisable at a weighted average exercisable price of \$0.15 per share, and 37,382,816 share purchase warrants outstanding, exercisable at weighted average price of \$0.21 per share.

MANAGEMENT'S REPORT ON INTERNAL CONTROL OVER FINANCING REPORTING

In connection with National Instrument 52-109 (Certificate of Disclosure in Issuer's Annual and Interim Filings) ("NI 52-109"), the Chief Executive Officer and Chief Financial Officer of the Company have filed a Venture Issuer Basic Certificate with respect to the financial information contained in the interim condensed consolidated financial statements for the six months ended April 30, 2026, and this accompanying MD&A (together, the "Filings").

In contrast to the full certificate under NI 52-109, the Venture Issuer Basic Certificate does not include representations relating to the establishment and maintenance of disclosure controls and procedures and internal control over financial reporting, as defined in NI 52-109. For further information, the reader should refer to the Venture Issuer Basic Certificates filed by the Company with the Filings on SEDAR+ at www.sedarplus.ca.

Approval

The Audit Committee of Viva has approved the disclosure contained in this MD&A.